

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1100	( deriv\$3 or extract\$5 or obtain\$3) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background) same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 17:45
S2	52	S1 and similar\$3 near3( matching or compar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 15:09
S3	102	S1 and vector\$2 near3( matching or compar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 17:21
S4	12	S3 and cluster\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 17:22
S5	29	S3 and categoriz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 17:29
S6	10	S5 and cluster\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 17:23
S7	10	S5 and cluster\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 17:23

## EAST Search History

S8	26	(multi-resolution or resolution) near5 (stream\$2 or bit adj3 distribution) same header near5 (compressed or encoded or coded)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 17:58
S9	1102	"18" and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background) same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 17:48
S10	3	S8 and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 15:10
S11	3	S8 and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 17:57
S12	221	similarity near3( matching or compar\$5)with retriev\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 18:03
S13	142	S12 and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 18:22
S14	1	S13 and (stream\$2 or bit adj3 distribution) same header near5 (compressed or encoded or coded)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 19:07

## EAST Search History

S15	1776	(similarity or attribut\$2 or featur\$2 or vector\$2 )near5( matching or compar\$5)with retriev\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 18:05
S16	1333	S15 and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfon or contona or background)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 18:23
S17	5	S16 and first adj1 image near5 ( second or reference) near3 imag\$2 near3( matching or compar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 15:08
S18	347	S16 and imag\$2 near3( matching or compar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 18:39
S19	1	S18 and (stream\$2 or bit adj3 distribution ) same header near5 (compressed or encoded or coded)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 19:11
S20	6	S18 and header near5 (compressed or encoded or coded)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/11 19:11
S21	8	S18 and (stream\$2 or bit adj3 distribution or compressed or encoded or coded)same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 15:09
S22	1	"6502105".PN.	USPAT; USOCR	OR	OFF	2008/01/11 19:59
S23	1	"5819286".PN.	USPAT; USOCR	OR	OFF	2008/01/11 20:00

## EAST Search History

S24	10	("5819286"   "6502105").PN. OR ("6665442").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/11 20:11
S25	1	S24 and stream	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/11 20:12
S26	7571	382/173,190,191,218,224,305;700/100,104,3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 15:09
S27	143	S26 and (stream\$2 or bit adj3 distribution or compressed or encoded or coded)same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 15:09
S28	16	S27 and similar\$3 near3( matching or compar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 15:11
S29	110	S27 and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background or non-text or image)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 15:10
S30	16	S29 and similar\$3 near3( matching or compar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/01/21 15:21
S31	1	(header and data and multi-resolution and codestream and compressed and first and image and deriving and one and retrieval and attributes and header and information and image and analysis and first and image and second and image and retrieval and attributes).clm.	US-PGPUB	AND	OFF	2008/01/21 15:24

## EAST Search History

S32	1922	(similarity or attribut\$2 or featur\$2 or vector\$2 )near5( matching or compar\$5)with retriev\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:54
S33	1450	S32 and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or half-ton or contour or background)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:54
S34	366	S33 and imag\$2 near3( matching or compar\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:54
S35	8	S34 and (stream\$2 or bit adj3 distribution or compressed or encoded or coded)same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:54
S36	0	S35 and jpeg-2000	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:55
S37	1	S34 and (stream\$2 or bit) adj3 (distribution or compressed or encoded or coded)same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:56
S38	5	S34 and (stream\$2 or bit) adj3 (distribution or compressed or encoded or coded) and header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:56

## EAST Search History

S39	0	S38 and Jpeg-2000	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:56
S40	1	S35 and jpeg-2000	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:57
S41	1	S38 and Jpeg-2000	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:57
S42	1	S34 and (stream\$2 or bit adj3 distribution or compressed or encoded or coded) and Jpeg-2000	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:58
S43	1	S34 and Jpeg-2000	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:58
S44	2	S33 and Jpeg-2000	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/23 16:58
S45	21954	(stream\$2 or bit adj3 distribution or compressed or encoded or coded)near7 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:27

## EAST Search History

S46	4636	S45 and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfon or contona or background or non-text or image or luminance or color adj1 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:29
S47	655	S45 same( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfon or contona or background or non-text or image or luminance or color adj1 difference)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:30
S48	1	S47 same(similarity or attribut\$2 or featur\$2 or vector\$2 )near5( match\$3 or compar\$5)with retriev\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:31
S49	4	S47 and (similarity or attribut\$2 or featur\$2 or vector\$2 )near5( match\$3 or compar\$5) same retriev\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:32
S50	3784	(similarity or attribut\$2 or featur\$2 or vector\$2 )near3( match\$3 or compar\$5) same retriev\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:47
S51	0	(similarity or attribut\$2 or featur\$2 or vector\$2 )near3( match\$3 or compar\$5) same JPEG-2000	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:48
S52	12	S50 and (JPEG-2000 or JPEG adj1 "2000")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:49

## EAST Search History

S53	4	S52 and header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:49
S54	2541	(JPEG-2000 or JPEG adj1 "2000")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:55
S55	392	S54 and header near3 information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:56
S56	663	S45 same( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or half-ton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:57
S57	62	S55 and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or half-ton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:57
S58	17	S57 and vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 14:58
S59	21954	(stream\$2 or bit adj3 distribution or compressed or encoded or coded)near7 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:35



## EAST Search History

S60	663	S59 same( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfon or contona or background or non-text or image or luminance or color adj1 difference or color\$1) same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:35
S61	188	S60 and ( deriv\$3 or extract\$5 or retriev\$4) with( similarit\$4 or match\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:36
S62	188	S61 and( deriv\$3 or extract\$5 or obtain\$3 or retriev\$4) near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfon or contona or background or non-text or image or luminance or color adj1 difference or color\$1) same header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:37
S63	155	S62 and vector\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:37
S64	3	S63 and cluster\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:38
S65	1	S63 and header with (JPEG-2000 or JPEG adj1 "2000")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:39
S66	1	S63 and header same (JPEG-2000 or JPEG adj1 "2000")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:39

## EAST Search History

S67	1	S63 and (JPEG-2000 or JPEG adj1 "2000")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:39
S68	3	S63 and categoriz\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/24 17:40
S69	21954	(stream\$2 or bit adj3 distribution or compressed or encoded or coded or information)near7 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 13:58
S70	36	S69 and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) with similar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 14:02
S71	1	S70 and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) near3 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 14:03
S72	23	S69 and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) near3 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 14:03
S73	1	S72 and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) with similar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 14:04

## EAST Search History

S74	2341	retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or half-ton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) with similar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 14:04
S75	4	S74 and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or half-ton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) near3 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 14:04
S76	2372	retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or half-ton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) with similar\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 14:09
S77	6	S76 and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or half-ton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) near5 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 14:10
S78	2	S76 and extract\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or half-ton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) near5 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 14:12
S79	21954	(stream\$2 or bit adj3 distribution or compressed or encoded or coded or information)near7 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:34
S80	36	S79 and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or half-ton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) with similar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:34

## EAST Search History

S81	1	S80 and compar\$3 near7 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:35
S82	330	S79 and compar\$3 near7 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:35
S83	1	S82 and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfon or contona or background or non-text or image or luminance or color adj1 difference or color\$1) with similar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:36
S84	2341	retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfon or contona or background or non-text or image or luminance or color adj1 difference or color\$1) with similar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:37
S85	329	S84 and (compar\$3 or match\$3) near7 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:37
S86	13435	(stream\$2 or bit adj3 distribution or compressed or encoded or coded or intormation)near3 header	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:38
S87	1632	"13" and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfon or contona or background or non-text or image or luminance or color adj1 difference or color\$1) with similar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:38

## EAST Search History

S88	294	S87 and (compar\$3 or match\$3) near7 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:39
S89	1223	"13" and retriev\$4 near3( attribut\$2 or featur\$2 or vector\$2 or text or bit adj1 distribution or halfton or contona or background or non-text or image or luminance or color adj1 difference or color\$1) near7 similar\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:39
S90	244	S89 and (compar\$3 or match\$3) near7 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:40
S91	206	S89 and (compar\$3 or match\$3) near3 vector\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:40
S92	2	S91 and ("DWT" or wavelet) same JPEG adj1 "2000"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:41
S93	5	S91 and ("DWT" or wavelet) and JPEG adj1 "2000"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:42
S94	35	S91 and ("DWT" or wavelet)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:44

## EAST Search History

S95	5	S94 and JPEG adj1 "2000"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/07/25 15:44
-----	---	--------------------------	--	----	-----	------------------